



**skydent**

[www.skydent.in](http://www.skydent.in)

# skydent

## DENTAL CHAIR



KCK Equipments Co. Pvt. Ltd., proudly introduce innovative and latest state of art technology dental equipments in India, under the Brand Name "SKYDENT"

SKYDENT deliver sophisticated equipments for various Dental applications. Based on our long-established technological know-how in electronics, systems are designed to fulfill the requirements of both dental practitioner as well as the patient.

SKYDENT Dental products are manufactured by using advanced technology under stringent quality control as per the guidance of professionally qualified Engineers and Dental Practitioners to ensure the products can meet international standards.

"Contributing to the society by creating innovative values" is what we consider as our responsibility in the society. We shall strive to continually provide solutions that are of value to our customers on a globe scale.

We respectfully appreciate your thorough understanding and support.

# skydent

## DENTAL CHAIR

Experience the comfort of user friendly SKYDENT dental chair, which is easy to operate and your patient feel the luxurious care during the treatment time. This ensures that you always keep pace with technological progress.

### OVER HANGING DENTAL TREATMENT UNIT

- Electrically Operated Dental Chair with 3 Programme
- 24V noiseless DC Motor
- Halogen Light Control System
- Rotatable Ceramic Spittoon
- High & low pneumatic suction
- Airtor Connection (2 Nos)
- Micromotor Connection
- LED Film viewer
- 3 way Syringe (2 Nos)
- Separate Assistant control System
- Hand Rest on both sides
- Built-in injecting water purified system
- Multi function foot control
- Doctors Stool



#### Available Colors



#### Specifications:

Power Voltage	: 220V 50 Hz.
Motor Voltage	: 24V
Air Pressure	: 0.5Mpa – 0.8 Mpa
Water Pressure	: 0.2Mpa – 0.04Mpa

# skydent

## DENTAL CHAIR

### UNDER HANGING DENTAL TREATMENT UNIT

- Electrically Operated Dental Chair
- 24V noiseless DC Motor
- Halogen Light Control System
- Rotatable Ceramic Spittoon
- High & low pneumatic suction
- Airotor Connection (2 Nos)
- Micromotor Connection
- LED Film viewer
- 3 way Syringe (2 Nos)
- Separate Assistant control System
- Hand Rest on both sides
- Tissue dispenser & Cup dispenser
- Built-in injecting water purified system
- Multi function foot control
- Doctors Stool



#### Available Colors

GREEN	DARK BLUE	LIGHT BLUE	MIDDLE BLUE
DARK GREEN	YELLOW	APPLE GREEN	PINK

#### Specifications:

Power Voltage	: 220V 50 Hz.
Motor Voltage	: 24V
Air Pressure	: 0.5Mpa – 0.8 Mpa
Water Pressure	: 0.2Mpa – 0.04Mpa

# skydent

## A U T O C L A V E

Complete sterilization is the only value for an autoclave. We have the unique design to keep the sterilization temperature stable and the stability level is higher than CE standard.

### CLASS – B FRONT LOAD AUTOCLAVE (The Classic 22 L)

- Complete Sterilization Guaranteed
- Automatic Sterilization
- Automatic drying
- Separated steam generator ensure better dry performance
- Adjustable Sterilization Time
- Adjustable Vacuum times
- Accurate temperature control
- Easy Human Machine Interface
- Easy Maintenance
- First Class safety Design
- Dual Core Control System
- Safety Protection design
- Inbuilt water tank
- LED Display
- Power off protection
- First-class Quality Control System
- Stainless steel water tank
- High density bacteria filter



#### Specifications:

Capacity : 22L  
 Chamber size :  $\varnothing$  25 \* 45cm  
 Display : LED  
 Lock : Electrical/Mechanical  
 Product size : 70\*44.5\*39cm  
 G.W/N.W : 56/50Kgs  
 Power 220V/50Hz. 1.7KW  
 Output : RS232  
 Printer : thermal /stylus



Water Distiller



Pouch Sealer

Program	121°C Solid	121°C Universal	134°C Solid	134°C Universal	Cotton	BD/Helix Test	Vacuum Test
Vacuum times	1	3	1	3	3	3	3
Temperature (°C)	121	121	134	134	134	134	/
Pressure (KPA)	110	110	210	210	210	210	-80
Time (Min.)	20	20	4	4	4	3.5	15

### CLASS – B FRONT LOAD AUTOCLAVE (The Competitive 18 L)

- Complete Sterilization Guaranteed
- Automatic Sterilization
- Automatic drying
- Adjustable Sterilization Time
- Adjustable Vacuum times
- Accurate temperature control
- Easy Human Machine Interface
- Easy Maintenance
- First Class safety Design
- Dual Core Control System
- Safety Protection design & LED Display
- Power off protection
- First-class Quality Control System
- Stainless steel water tank
- High density bacteria filter
- Filtered water can also be used.
- Automatic water filling
- Automatic water release



#### Specifications:

Capacity : 18L  
 Chamber size :  $\varnothing$  25 \* 35cm  
 Display : LED  
 Lock : Electrical/Mechanical  
 Product size : 66\*44.5\*39cm  
 G.W/N.W : 52/44Kgs  
 Power 220V/50Hz. 1.7KW  
 Output : Rs232  
 Printer : thermal /stylus



Water Distiller



Pouch Sealer

Program	121°C Solid	121°C Universal	134°C Solid	134°C Universal	Cotton	BD/Helix Test	Vacuum Test
Vacuum times	1	3	1	3	3	3	3
Temperature (°C)	121	121	134	134	134	134	/
Pressure (KPA)	110	110	210	210	210	210	-80
Time (Min.)	20	20	4	4	4	3.5	15

### NOISELESS OIL FREE COMPRESSOR

- Electrically Integrated Unit
- Epoxy coated compressor tank
- Copper winding
- Maintenance friendly & power saver
- Auto cut-off switch
- Pressure gauge
- Safety valve
- Moisture & Dust filter (Optional)
- High quality accessories
- Premium Quality Solenoid valve & One way valve.



Compressor 1.5 HP



Compressor 1.1 HP



Compressor 0.75 HP

Model	Voltage	Power	Air Flow	Speed		Noise	Tank	Max. Pressure	Packing L x W x H	Weight
				C.F.M	RPM					
0.75 HP	220/50	580	110	3.7	1400/1680	50	30	115	440x440x590	26
1.1 HP	220/50	850	165	5.4	1400/1680	50	35	115	440x440x650	30
1.5 HP	220/50	2x580	220	7.4	1400/1680	50	50	115	710x330x590	48

**skydent**

Marketed by: KCK Equipments Co. Pvt. Ltd.

11/538, PK Commercial Complex, Cherooty Road, Calicut - 673032, Kerala, India  
Tel : +91495 4050896 / 6577558, E-mail: equipments@kckdentals.com, info@skydent.in  
[www.skydent.in](http://www.skydent.in)